



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/757,588	01/15/2004	Hajime Akimoto	HITA.0488	4908
7590 REED SMITH LLP Suite 1400 3110 Fairview Park Drive Falls Church, VA 22042			EXAMINER BODDIE, WILLIAM	
			ART UNIT 2629	PAPER NUMBER
			MAIL DATE 01/22/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.		Applicant(s)	
	10/757,588		AKIMOTO ET AL.	
	Examiner		Art Unit	
	William L. Boddie		2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 October 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 and 29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 and 29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. In an amendment dated, October 29th, 2007 the Applicant amended claim 1 and added new claim 29. Currently claims 1-24 and 29 are pending.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 29th, 2007 has been entered.

Response to Arguments

3. Applicant's arguments with respect to claims 1-24 and 29 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claim 1 recites the limitation "said common supply voltage" in lines 19-20 and 27. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 2629

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-4, 6-7, 9, 12-15, 17-18, 20, 23-24 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akimoto et al. (US 2003/0067424) in view of Libsch et al. (US 7,167,169).

With respect to claim 1, Akimoto discloses, an image display device (fig. 1), comprising:

a display part configured by a plurality of pixels (clear from fig. 1) each having an electro-luminescent element driven to illuminate according to a display signal voltage V_s (7 in fig. 1);

a signal line (17 in fig. 1) used to write said display signal voltage in said pixel (see write period in fig. 2);

a pixel selector (22 in fig. 1) for selecting a pixel from said plurality of pixels so as to write said display signal voltage therein through said signal line;

a display signal voltage generator (21 in fig. 1) for generating said display signal voltage;

an illuminating state controller (32, 9 in fig. 1) for controlling a selection of an illuminating state or non-illuminating state for each of said plurality of pixels at a time;

wherein one end of said electro-luminescent element provided in each said pixel is connected to a common power supply (common terminal connected to the element in fig. 1; also see end of para. 51) while the other end of said electro-luminescent element is selectively connected to a first source/drain electrode of an electro-luminescent

Art Unit: 2629

element driving transistor (4 in fig. 1) through a first switch (9 in fig. 1) said transistor has a threshold voltage V_{th} ,

a second source/drain electrode of said electro-luminescent element driving transistor is connected to a power supply line applied with said common supply voltage (18 in fig. 1; para. 43), and

the gate of said electro-luminescent element driving transistor (4 in fig. 1) is connected to the signal line through a capacitance (2 in fig. 1) and selectively connected to the first source/drain electrode of said electro-luminescent element driving transistor through a second switch (5 in fig. 1), and

when said illuminating state is selected, the first switch is fixed as ON, the second switch is fixed as OFF (see the waveforms for the light-on period in fig. 3).

Akimoto further discloses, a constant voltage supply, as evidenced by the signal line data during the write period in figure three. During an illumination period, Akimoto supplies a triangular signal amplitude as seen in figure three.

Akimoto does not expressly disclose supplying a constant voltage to each pixel during the illuminating state or that the constant voltage is lower than the common supply voltage.

Libsch discloses, an image display device having an electro-luminescent element pixel circuit (550 in fig. 5g, for example), wherein a constant voltage supply provides a constant voltage V_{il} (V_5 in fig. 5g) to each of said plurality of pixels through said signal line when said illuminating state is selected for a selected pixel (col. 8, lines 39-40, discloses illuminating state is .1m to .2m; fig. 5e shows the constant voltage for V_5

Art Unit: 2629

voltage that is lower than said common supply voltage (V1 in fig. 5g is common supply voltage; col. 8, lines 36-38; also see fig. 5a, where V1 is much larger than V5 during the illumination state; also note that the common supply voltage is supplied to an electrode of the driving transistor, fig. 5g) appears at the gate of a driving transistor (Q2 in fig. 5g).

Libsch and Akimoto are analogous art because they are both from the same field of endeavor namely pixel control circuitry and driving methods for electro-luminescent display devices.

At the time of the invention it would have been obvious to one of ordinary skill in the art to replace the triangular signal amplitude of Akimoto with the constant supply voltage of Libsch.

The motivation for doing so would have been to ensure that the driver transistor Q2 is driven into saturation (Libsch; col. 8, lines 36-38).

With respect to claim 2, Akimoto and Libsch disclose, the image display device according to claim 1 (see above).

Akimoto further discloses, wherein the gate of said electro-luminescent element driving transistor is connected to said signal line corresponding to each pixel through a connection capacitor (2 in fig. 1).

With respect to claim 3, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein said first source/drain electrode is a drain electrode and said second source/drain electrode is a source electrode (para. 43).

With respect to claim 4, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein each of said first switch, said second switch, and said electro-luminescent element driving transistor is a p-channel transistor (fig. 4; also see para. 62).

With respect to claim 6, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein each of said first switch, said second switch, and said electro-luminescent element driving transistor is a polycrystalline silicon thin film transistor (para. 43).

With respect to claim 7, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein each of said first switch, said second switch, and said electro-luminescent element driving transistor is an n-channel transistor (fig. 6; also see para. 69).

With respect to claim 9, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto fails to disclose the use of amorphous silicon thin film transistors.

Libsch further discloses, the use of amorphous silicon thin film transistors (col. 1, lines 15-17).

At the time of the invention it would have been obvious to one of ordinary skill in the art to replace the transistors of Akimoto with the amorphous silicon thin film transistors of Libsch.

The motivation for doing so would have been the well known in the art advantage that amorphous silicon thin film transistors are more uniform over large areas than polycrystalline silicon thin film transistors.

With respect to claim 12, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein said electro-luminescent element driving transistor is actually driving in a sub-threshold area in which its gate-source voltage is a threshold voltage and under (para. 47).

With respect to claim 13, Akimoto and Libsch disclose, the image display device according to claim 1 (see above).

Akimoto further discloses, wherein one end of the signal line is connected to the display signal voltage generator through a third switch (5 in fig. 1; clear from fig. 1, that the signal line [17] is connected to the display signal voltage generator [21]).

With respect to claims 14-15, 17-18, 20 and 23, as these claims are identical to previously rejected claims 3-4, 6-7, 9 and 12, respectively, these claims are rejected on the same merits shown above.

With respect to claim 24, Akimoto and Libsch disclose, the image display device according to claim 1 (see above).

Akimoto further discloses, wherein selection of said illuminating/non-illuminating state is repeated in each frame period (clear from fig. 21, that the operation repeats indefinitely).

With respect to claim 29, Akimoto and Libsch disclose, the image display device according to claim 1 (see above).

Akimoto, when combined with Libsch, discloses, wherein said voltage appearing at the gate of said transistor is lower than said common supply voltage by $(V_s - V_{il} + |V_{th}|)$ (Akimoto's pixel circuit is identical to circuits presented by the Applicant, and furthermore Akimoto's disclosure details very similar operation to the current application (see col. 5, line 62 - col. 6, line 15). Therefore the voltage limitation on the gate of said transistor is seen as inherent in the operation of the pixel circuit disclosed by Akimoto).

8. Claims 5, 8, 16 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akimoto et al. (US 2003/0067424) in view of Libsch et al. (US 7,167,169) and further in view of Misawa et al. (US 5,250,931).

With respect to claim 5, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein each of said first switch, said second switch, and said electro-luminescent element driving transistor is configured as a p-channel transistor (see fig. 4; para. 62).

Neither Akimoto nor Libsch expressly disclose, that said connection capacitor is a MOS capacitor that uses a p-channel.

Misawa discloses, a pixel capacitor (305 in fig. 15a/b) that is a p-channel MOS capacitor (col. 14, lines 61-68).

Misawa, Akimoto and Libsch are analogous art because they are all from the same field of endeavor namely pixel control circuitry and driving methods for electro-luminescent display devices.

At the time of the invention it would have been obvious to one of ordinary skill in the art to use the MOS capacitors taught by Misawa in the display device of Akimoto and Libsch.

The motivation for doing so would have been to lower the number of manufacturing steps to form the display device (Misawa; col. 14, lines 55-60).

With respect to claim 8, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein each of said first switch, second switch, and said electro-luminescent element driving transistor is an n-channel transistor (fig. 6; also see para. 69).

Neither Akimoto nor Libsch expressly disclose, that said connection capacitor is a MOS capacitor that uses an n-channel.

Misawa discloses, a pixel capacitor (305 in fig. 15a/b) that is an n-channel MOS capacitor (col. 14, lines 61-68).

Misawa, Akimoto and Libsch are analogous art because they are all from the same field of endeavor namely pixel control circuitry and driving methods for electro-luminescent display devices.

At the time of the invention it would have been obvious to one of ordinary skill in the art to use the MOS capacitors taught by Misawa in the display device of Akimoto and Libsch.

The motivation for doing so would have been to lower the number of manufacturing steps to form the display device (Misawa; col. 14, lines 55-60).

With respect to claims 16 and 19, as these claims are identical to previously rejected claims 5 and 8, respectively, these claims are rejected on the same merits shown above.

9. Claims 10 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akimoto et al. (US 2003/0067424) in view of Libsch et al. (US 7,167,169) and further in view of Akimoto et al. (US 6,670,936; hereinafter: Akimoto-'936).

With respect to claim 10, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Akimoto further discloses, wherein said signal line and said power supply line are disposed in parallel (clear from fig. 1 that 17 and 18 are parallel).

Neither Akimoto nor Libsch expressly disclose, forming the signal line and power supply by processing the same metallic wiring layer.

Akimoto-'936 discloses, a signal line (4 in fig. 1) and a power supply line (8 in fig. 1) are disposed in parallel (clear from fig. 1) and formed by processing the same metallic wiring layer (col. 6, line 62 – col. 7, line 7).

Akimoto, Libsch and Akimoto-'936 are all analogous art because they are all form the same field of endeavor namely, pixel control circuitry and driving methods for image display devices.

At the time of the invention it would have been obvious to one of ordinary skill in the art to construct the signal and power supply lines of Akimoto and Libsch on the same metallic wiring layer as taught by Akimoto-'936.

The motivation for doing so would have been to simplify the manufacturing process (Akimoto-'936; col. 7, lines 6-7).

With respect to claim 21, as this claim is identical to previously rejected claim 10, this claim is rejected on the same merits shown above.

10. Claims 11 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akimoto et al. (US 2003/0067424) in view of Libsch et al. (US 7,167,169) and further in view of Miyajima et al. (US 6,812,912).

With respect to claim 11, Akimoto and Libsch disclose, the image display device according to claim 2 (see above).

Neither Akimoto nor Libsch expressly disclose, that the connection capacitor is provided on the signal line in layers.

Miyajima discloses providing a capacitor (30 in fig. 14) that is provided on a signal line (data line; 22 in fig. 14) in layers (clear from fig. 15; also see col. 17, lines 41-48).

Akimoto, Libsch and Miyajima are all analogous art because they are all form the same field of endeavor namely, pixel control circuitry for image display devices.

At the time of the invention it would have been obvious to one of ordinary skill in the art to construct the connection capacitor of Akimoto and Libsch on the signal line in layers as taught by Miyajima.

The motivation for doing so would have been to increase the contrast and display quality of the image display device (Miyajima; col. 18, lines 38-39).

With respect to claim 22, as this claim is identical to previously rejected claim 11, this claim is rejected on the same merits shown above.

Conclusion

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William L. Boddie whose telephone number is (571) 272-0666. The examiner can normally be reached on Monday through Friday, 7:30 - 4:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sumati Lefkowitz can be reached on (571) 272-3638. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Wlb
1/9/08


SUMATI LEFKOWITZ
SUPERVISORY PATENT EXAMINER